

Your field-by-field guide

SitePublisher AI Pro 2.3.1 | Build 0074R | English edition | 28 September 2026

STEP	FIELD / CONTROL	WHAT TO ENTER OR DO	EXAMPLE / RESULT	WHEN TO USE
01	Platform Settings	Connect OpenAI, set company details, article defaults and optional prompts.	Pages 2-4	Set up first
02	Website Settings	Connect each destination and set its category, language and writing preferences.	Pages 5-7	Set up first
03	Single Article	Create one article, optionally select a client and add supporting Tier 2 articles.	Pages 8-9	Daily workflow
04	Bulk Automation	Queue up to 50 titles with shared destination, links, images and scheduling.	Pages 10-11	Daily workflow
05	Tier 2 Links	Create and track supporting articles linking to a published main article.	Page 12	Optional
06	Posts & Pages	Edit SEO titles and descriptions for the current WordPress installation.	Page 13	Optional
07	Clients & Gigs	Keep client records, view publication history and download branded PDFs.	Page 14	Optional
08	Link & Keywords	Maintain published URLs and keyword records for later article linking.	Page 15	Optional

Read rows from top to bottom. Required means needed for that workflow; Conditional means needed only when you use that option. Default means a valid value is already supplied. Examples are illustrative, not mandatory settings. Greyed-out controls inherit saved defaults: select Custom only when you want an override. OpenAI text and image requests use your own API account.

01 / Platform Settings

Open SitePublisher AI > Platform Settings. Start with the OpenAI API tab, then open the Platform Settings tab.

STEP	FIELD / CONTROL	WHAT TO ENTER OR DO	EXAMPLE / RESULT	WHEN TO USE
1	OpenAI API key	Paste your own secret API key into the key field.	Your secret key	Required for AI
2	Preview key change	Review the key change before saving.	Click the button	Action
3	Save encrypted key	Save the previewed key. Wait for the saved confirmation.	Click the button	Action
4	Company name	Enter the sender name for client PDF reports.	Example Garden Agency	For PDF branding
5	Brand color (optional)	Choose the accent colour used in PDF headings.	Your brand colour	Optional
6	Address (optional)	Enter the address you want clients to see on the PDF.	Your business address	Optional
7	Company description (optional)	Add a short description of your company.	Content publishing services	Optional
8	Logo (optional) / Choose logo	Choose your logo from the WordPress Media Library.	Your company logo	Optional
9	Preview company details	Review the company details and branding.	Check spelling and logo	Action
10	Save company details	Save the previewed company profile.	Wait for confirmation	Action

Company details brand client-facing PDF reports. Empty optional fields are omitted. The article defaults below the company panel are explained on the next page.

01 / Platform article defaults

Platform Settings tab, below Company details. These defaults are used unless a website or an individual request overrides them.

STEP	FIELD / CONTROL	WHAT TO ENTER OR DO	EXAMPLE / RESULT	WHEN TO USE
1	Target word count	Set the preferred finished article length, from 300 to 5,000 words.	1,500	Default / editable
2	Maximum output tokens	Set the AI output budget, from 1,000 to 32,000 tokens. Keep enough room for the requested length and structure.	Keep the existing budget	Default / editable
3	Word count tolerance	Set the accepted percentage below or above the target, from 5 to 30.	15 (%)	Default / editable
4	Minimum H2 headings	Choose the minimum number of main section headings, from 1 to 20.	4	Default / editable
5	Minimum H3 headings	Choose the minimum number of subsection headings, from 0 to 40.	2	Default / editable
6	Minimum bullet lists	Choose how many bullet-list blocks are required, from 0 to 10.	1	Default / editable
7	Items per bullet list	Choose the minimum items in each required list, from 2 to 20.	3	Default / editable
8	FAQ section / FAQ questions	Enable or disable the FAQ. If enabled, choose 1 to 20 questions.	Enabled; 5 questions	Default / editable
9	Call to action	Enable or disable a CTA. A CTA also needs suitable offer or destination information.	Disabled when not needed	Default / editable
10	Preview defaults / Save previewed defaults	Preview the proposed defaults, resolve any messages, then save.	Preview, then save	Action

The same Article specification fields appear in Single Article and Bulk Automation. There, Website or platform defaults keeps them inherited; Custom for this request unlocks an override for that article or batch only.

01 / Prompts, tests and maintenance

The remaining tabs are optional for normal article creation. The included prompt lets you start without writing a new one.

STEP	FIELD / CONTROL	WHAT TO ENTER OR DO	EXAMPLE / RESULT	WHEN TO USE
1	Prompts: Prompt name	Give an edited global prompt a recognisable name.	Main editorial prompt	If editing
2	Prompts: Prompt content	Enter instructions for the AI. Use the on-screen Prompt Variables reference for supported placeholders.	Keep the included prompt	If editing
3	Save Global Prompt	Save a deliberate global prompt change. Website overrides can still take priority.	Click after review	Action
4	Prompt Tester: Prompt source	Choose the global prompt or a specific website context.	Your selected website	For a test
5	Topic / Primary keyword / Secondary keywords	Enter a sample topic and its keywords to test prompt substitution.	Watering a small garden	For a test
6	Article type / Word count	Describe the test article type and target length.	How-to guide; 1,500	For a test
7	Country / Language / Tone / Audience / Reading level / Author	Supply a realistic sample of the writing context.	English; Friendly; Editor	For a test
8	Model / Max output tokens / Run GPT Test	Review the resolved prompt. Select a model and output budget; Run GPT Test sends a paid AI request.	Use an available model	Optional action
9	Health / Logs	Read health checks and recorded events when troubleshooting. These are diagnostic views.	Inspect a reported issue	Read-only review
10	Updates & Privacy: update checks	Choose whether to allow update checks and downloads from sitepublisher.ai.	Enabled by default	Preference
11	Activity report / public footer credit	Choose whether to report that the plugin is active and whether to show the Powered by link.	Both off by default	Optional
12	Save preferences	Save your Updates & Privacy choices.	Click after changes	Action

A Prompt Tester preview does not publish an article or save a new prompt. Run GPT Test is a separate action from normal article generation.

02 / Website Settings: connection

Open Website Settings > Connection. Add the destination before choosing it in Single Article, Bulk Automation or Tier 2 Links.

STEP	FIELD / CONTROL	WHAT TO ENTER OR DO	EXAMPLE / RESULT	WHEN TO USE
1	New website / Name	Start a new connection and give it a recognisable name.	Example Garden	Required
2	Website URL	Enter the destination WordPress site URL, including https://.	https://example.com	Required
3	Authentication	Choose the method configured on the destination. The standard WordPress option uses a username and Application Password.	Basic - username + application password	Required
4	Username	Enter the destination WordPress username with permission to publish.	Your publishing user	For Basic
5	Application password	Paste an Application Password created for that user on the destination. When editing, leave it empty to retain the saved credential.	Application Password	For Basic
6	Bearer token	Enter a token only when the destination is configured to accept bearer authentication.	Your configured token	For Bearer
7	Refresh all categories	Retrieve the destination categories. Use this again after adding categories on the destination.	Click to load categories	Action
8	Default category	Choose the category normally used for this website. Set this before using the site for Tier 2.	Gardening	Recommended
9	Preview changes	Review the connection details, categories and any validation messages.	Check the correct site	Action
10	Save website	Save the previewed connection. The website becomes available in destination selectors.	Wait for confirmation	Action

Create Application Passwords on the destination WordPress website under the user profile. Use the connected website tabs to configure Profile, AI Defaults, Content and Website Prompt next.

02 / Website Settings: profile

Open the Profile tab and select the Registered website. These fields establish the site-specific writing context.

STEP	FIELD / CONTROL	WHAT TO ENTER OR DO	EXAMPLE / RESULT	WHEN TO USE
1	Registered website	Choose the website whose profile you want to edit.	Example Garden	Required
2	Country	Select the website audience's main country or territory.	United Kingdom	Required
3	Language	Select the supported content language or languages from the available choices.	English	Required
4	Tone	Choose the normal voice of the website.	Friendly	Required
5	Audience	Choose the main reader group.	Beginners	Required
6	Reading Level	Choose the expected complexity of the writing.	Standard - CEFR B2	Required
7	Author	Enter the author identity to use in the content context.	Editor	Required
8	Ahrefs DR	If useful, enter the site's current Domain Rating as a whole number from 0 to 100.	35	Optional
9	Preview Profile / Save Profile	Preview the complete profile, correct missing fields, then save.	Preview, then save	Action
10	Edit dropdown options	Administrators can edit the global Tone, Audience and Reading Level option lists. Preview option lists, then Save option lists.	One option per line	Optional admin task

Ahrefs DR is entered manually. Available language choices depend on the selected country. Single Article can use a temporary writing-style override without changing this saved profile.

02 / Website Settings: defaults

Select the website first in each tab. These settings are reused by article workflows.

STEP	FIELD / CONTROL	WHAT TO ENTER OR DO	EXAMPLE / RESULT	WHEN TO USE
1	AI Defaults: Default GPT Model	Choose the default model available to your API account.	Your preferred listed model	Default / editable
2	Default Prompt	Keep Effective Prompt to follow the website override, or the global prompt when no override exists.	Effective Prompt	Default / editable
3	Default CTA / FAQ	Choose whether these features are enabled for this website.	Match your editorial style	Default / editable
4	Internal Links / External Links	Choose whether the default prompt may include link suggestions. Select specific destination links in the article workflow when needed.	Enabled or Disabled	Default / editable
5	Preview Settings / Save Settings	Preview and save the AI Defaults for this website.	Preview, then save	Action
6	Content: Content specification source	Use platform defaults, or enable website-specific defaults.	Use platform defaults	Default / editable
7	Content: length, headings, lists, FAQ and CTA	If using website-specific defaults, fill the same fields explained on page 3.	1,500 words; 4 H2 headings	If overriding
8	Preview defaults / Save previewed defaults	Preview and save the website's content specification.	Preview, then save	Action
9	Website Prompt: Prompt name / Prompt content	Optionally enter instructions specific to this website. Keep supported variables from the on-screen reference.	Garden website prompt	Optional
10	Create / Update Website Prompt	Save the override. Remove Website Override returns the site to the global prompt.	Save the reviewed prompt	Action
11	Activity	Inspect the selected website's activity information.	Check recent activity	Read-only review

Inheritance order: an article or batch override takes priority, followed by website defaults, then platform defaults. Tier 2 uses its selected destination's category, language and article settings.

03 / Single Article: the brief

Open Single Article. Select the destination first so its profile and category options load.

STEP	FIELD / CONTROL	WHAT TO ENTER OR DO	EXAMPLE / RESULT	WHEN TO USE
1	Destination website	Choose the website on which the main article should appear.	Example Garden	Required
2	Client (optional)	Choose an existing client to keep the article and its Tier 2 results in Clients & Gigs. Leave No client for your own work.	Example Client / No client	Optional
3	Topic	Enter a clear title or subject for the article.	How to Water a Small Garden	Required
4	WordPress category	Choose the destination category from the loaded list.	Gardening	Required
5	Primary keyword	Enter the main keyword phrase for the article.	small garden watering	Required
6	Primary keyword URL	If the keyword should link somewhere, enter the complete target URL.	https://example.com/watering/	Optional
7	Secondary keyword / Secondary keyword URL	Add a second phrase and, if needed, its full destination URL.	garden irrigation	Optional
8	Add keyword (up to 5)	Add additional keyword and URL pairs one at a time, up to five pairs in total.	Third, fourth or fifth pair	Optional
9	Create Tier 2 articles after publishing	Enable this if supporting articles should follow successful publication of the main article.	Tick to enable	Optional
10	Tier 2 website / Add Tier 2 article	Choose a destination for every supporting article. Add or remove rows as needed, up to ten.	A second connected website	Required if enabled
11	Country or market / Language / Author	Review the values loaded from the website profile and adjust this article's context when needed.	United Kingdom; English; Editor	Default / editable
12	Writing style source / Tone / Audience / Reading level	Keep Website or platform defaults, or choose Custom for this article to enable the three dropdowns.	Friendly; Beginners; General audience	Optional override

Keyword URLs are optional even when the keyword is supplied. Links are placed contextually around the middle of the article. Tier 2 starts after the main article is published, not after saving a draft.

03 / Single Article: generate and publish

Complete the source, image and AI settings, then review the generated result before publishing.

STEP	FIELD / CONTROL	WHAT TO ENTER OR DO	EXAMPLE / RESULT	WHEN TO USE
1	Trusted source text	Paste reliable facts, notes, instructions or source text that the article should use.	Facts about watering methods	Optional
2	AI image model	Choose an available model if you want AI-generated photos.	Keep the selected model	For AI images
3	Featured / center image	Choose an image for the WordPress featured position, the middle of the article, or both. Each position can use AI or your own photo.	Featured AI image	Optional
4	Choose photo	For your own image, select or upload a photo for that position. It replaces AI generation for that position.	Your garden photo	For own photos
5	Do not generate images	Select this to skip paid AI image generation. Chosen own photos can still be used.	Tick when using no AI photos	Optional
6	Article specification / Specification source	Keep inherited values, or choose Custom for this request and adjust the fields from page 3.	Website or platform defaults	Optional override
7	Model / Reasoning effort	Use the website model or choose another available model. Select Low, Medium or High effort.	Website default; Medium	Default / editable
8	Add article to work queue	Submit the article for background generation. This starts AI requests.	Click once	Action
9	Article work queue	Open the completed article row to load its result. Blue means working; grey means waiting or ready for review.	Select the ready article	Action
10	Quality gate / Generated article	Check the text, links, image and reported quality issues before publication.	Review and correct as needed	Review
11	Publication controls	Use the publication controls below the article. Check the destination and confirm the requested save or publish action.	Publish when ready	Action
12	Published URL / Tier 2 Links	Open the returned URL to inspect the article. Track any supporting articles in Tier 2 Links; green confirms publication and red indicates an error.	View the live article	Verify

A successful client-linked publication appears automatically in the selected client's history. Do not repeat publication merely because a local status is slow to refresh; check the destination result first.

04 / Bulk Automation: article settings

Open Bulk Automation. One batch shares a destination, category and the selected linking and image settings.

STEP	FIELD / CONTROL	WHAT TO ENTER OR DO	EXAMPLE / RESULT	WHEN TO USE
1	Article titles	Paste one title per line, with 1 to 50 titles in a batch.	Watering tips Choosing garden tools	Required
2	Destination website	Choose the website for this batch.	Example Garden	Required
3	WordPress category	Choose the category loaded for that destination.	Gardening	Required
4	Internal linking	Choose no internal links, or 1, 2 or 3 link slots.	1	Optional
5	Search keyword & internal link / result dropdown	For each slot, search the destination's Link & Keywords records and select an exact keyword-and-URL result. Each selected keyword must be different.	Select a relevant existing article	If links enabled
6	Priority	Choose the batch's processing priority: Normal, High, Urgent or Low.	Normal	Default / editable
7	Featured AI image / Center article AI image	Select either position or both. Each generated image is a separate AI request.	Featured AI image	Optional
8	Do not generate images	Select this when the batch should have no AI-generated photos.	Tick to skip AI images	Optional
9	AI image model / Image format / Image quality	Choose an available image model, the shape and Low, Medium or High quality.	Landscape 1536 x 1024; Medium	For AI images
10	Article specification	Keep website/platform defaults, or choose Custom for this request and use the fields explained on page 3.	Website or platform defaults	Optional override
11	Maximum attempts	Choose how many attempts a job may make, from 1 to 5.	3	Default / editable
12	Model / Reasoning effort / Language	Use the website model or another available model. Set effort and choose an enabled website language.	Default model; Medium; English	Default / editable

The selected internal-link phrases are intended for every article in the batch. Split unrelated topics into separate batches when they need different links. Single Article supports up to five keyword pairs; Bulk Automation uses up to three internal-link slots.

04 / Bulk Automation: timing and queue

Choose a Schedule type under WordPress publication schedule before submitting the batch.

STEP	FIELD / CONTROL	WHAT TO ENTER OR DO	EXAMPLE / RESULT	WHEN TO USE
1	Generate & Publish directly	Generate and publish each article as soon as it is ready. No publication dates are needed.	Publish as articles finish	Choose one mode
2	Generate & Schedule on WordPress	Generate after queue approval and send future publication dates to the destination WordPress site.	A planned editorial calendar	Alternative mode
3	First WordPress publication	For scheduled publication, set the first local date and time. Allow time for generation; read the timezone shown in the form.	Your chosen future start time	If scheduling
4	Frequency / Per	Choose 1 to 30 articles per Day, Week or Month.	3 per Week	If scheduling
5	Distribution	Choose Evenly spread or Random across the selected period. These are not business-hour windows.	Evenly spread	If scheduling
6	Add schedule block	Optionally change the rhythm from a later date. Up to 12 blocks are supported; the title count determines the duration.	A slower pace after launch	Optional
7	Start and interval - manual publication	Use this mode for timed generation followed by manual review and publication.	Review each generated article	Alternative mode
8	Start / Interval (minutes)	For interval mode, set the first generation time and the gap between jobs, from 0 to 1,440 minutes.	A start time; 5 minutes	If interval mode
9	Add Approved to Queue	Check the form and submit it. Validation runs in the background; no separate Preview plan action is needed.	Correct any validation message	Action
10	Priority queue	Follow article status, publication time, attempts, quality, tokens and cost. Accepted due jobs normally start automatically.	Blue active; green published	Monitor
11	Retry / recovery controls	Read an actual error before retrying. Check & recover schedules checks overdue WordPress schedules; Run one job manually is a recovery control.	Use only when needed	Conditional
12	Stop process / Delete selected articles	Stop prevents new processing. Deleting queue records does not delete posts already on destination websites.	Review the selected rows	Optional action

Red indicates an error; neutral labels distinguish waiting and review states. Schedule dates in the queue may be shown in UTC. Future posts already created on WordPress remain controlled by that destination even if local automation stops.

05 / Tier 2 Links

Open Tier 2 Links. Start from a published main article, or follow supporting jobs created from Single Article.

STEP	FIELD / CONTROL	WHAT TO ENTER OR DO	EXAMPLE / RESULT	WHEN TO USE
1	Search / Website / Per page	Search a title, URL or keyword; filter by website; show 25, 50 or 100 main rows.	Search the main article title	Optional filters
2	Tier 2 action on the main row	Expand the main article to reveal its supporting rows. The coloured group separates Tier 2 articles from the main row.	Open Tier 2	Action
3	Website on each Tier 2 row	Choose the destination for that supporting article. A destination is required before generation.	A connected supporting site	Required
4	Title / Add Title	Leave the title empty for automatic generation, use Add Title for a suggestion, or enter a suitable new title before queueing.	Another angle on the subject	Optional input
5	Client name	The supporting row inherits the main article's client, or stays empty when no client was selected.	Inherited client name	Automatic
6	Keyword A / Keyword B / additional pairs	Review the inherited keyword phrases. Their destination for Tier 2 is the main article's published URL.	Links to the main article	Automatic
7	Add Tier 2	Add another supporting row, up to ten per main article. Select a website for every added row.	Add a second destination	Optional
8	Generate & Publish on a row	Generate and publish that row only. It uses the destination's category, language and article structure and includes an AI featured photo.	Start one supporting article	Action
9	Checkboxes / Select all on this page	Select eligible supporting rows on the current page. Choose their websites before using the top Generate & Publish button.	Publish the selected rows	Optional batch action
10	Status / published Title and URL	Blue means active work, green means published and red means an error. The published title and complete URL appear after success.	Open the resulting URL	Read-only result
11	Retry / Delete / main-row Edit	Use Retry after reviewing an error. Delete removes a local record. Main-row Edit changes its stored title, URL or keywords.	Correct only the intended row	Optional action

Tier 2 groups are retained for up to six months from creation. Ordinary Link & Keywords records use two-month retention. Removing local records does not remove articles already published on destination websites.

06 / Posts & Pages

Open Posts & Pages. This screen manages SEO metadata on the WordPress installation you are currently using.

STEP	FIELD / CONTROL	WHAT TO ENTER OR DO	EXAMPLE / RESULT	WHEN TO USE
1	Content	Choose Posts and pages, Posts, or Pages.	Posts	Optional filter
2	Status	Choose the publication status you want to inspect.	Published	Optional filter
3	SEO provider	Check which supported provider will store the metadata. Only the selected provider is changed.	The provider shown for your site	Required context
4	Search / Filter	Search existing titles or content, then apply the filters.	watering	Optional
5	Row checkbox / Select all visible items	Select the rows you want to work on. Selection applies to the visible items.	One article or visible rows	Required for actions
6	Title tag (meta title)	Enter a clear SEO title for the existing post or page. The on-screen counter helps judge length.	Small Garden Watering Guide	Editable
7	Meta description	Write a short, accurate summary of the existing content. The interface recommends up to 155 characters.	Learn when and how to water a small garden.	Editable
8	Suggest with AI	Optionally fill visible fields for up to 20 selected items using the existing title and a limited text excerpt. Review the suggestions.	Select rows, then click	Optional AI action
9	Save changes	Store the visible metadata for the selected rows. AI suggestions are not saved until this action.	Save reviewed changes	Action
10	Edit content / View	Use Edit content for the WordPress editor, or View to inspect the page. These links are separate from metadata editing.	Check an updated page	Optional verification

This screen does not select remote destination websites and does not create new articles. Changing a title tag here is different from changing the visible article headline in the WordPress editor.

07 / Clients & Gigs

Open Clients & Gigs. Client tracking is optional; articles can always be created without a client.

STEP	FIELD / CONTROL	WHAT TO ENTER OR DO	EXAMPLE / RESULT	WHEN TO USE
1	Name client / Email client	Enter the client's name. Add an email address if useful; it is optional.	Example Client; optional email	Name required
2	Preview client / Save client	Preview and save. The Client ID is assigned automatically. Use Edit to update an existing client.	Preview, then save	Action
3	Gig: Client / Date gig	If creating a gig, choose the client and the gig date.	Example Client; today's date	For a gig
4	Products gig	Choose the planned number of backlinks, from 1 to 40.	5 backlinks	For a gig
5	Description gig	Add notes describing the agreed work.	Five gardening publications	Optional
6	Preview gig / Save gig	Preview and save the gig. The Gig ID is assigned automatically.	Preview, then save	Action
7	Client selection in Single Article	Choose the client next to Destination website before generation. Successful main and Tier 2 publications are recorded under that client.	Select before generating	Optional tracking
8	Client publications: Client / Search	Choose a client and optionally search a title, URL or keyword.	Review one client's work	Client required
9	Published article / Type / Main article / Keywords and URLs / Date	Read the publication history, including the main/Tier 2 relationship and supplied keyword-and-URL pairs.	Up to five keyword pairs	Read-only results
10	PDF / Download selected PDF	Use the row PDF action, or select rows and download a combined PDF. Select all applies to the current page.	One result or selected results	Action
11	Gigs database: results PDF	Open an existing gig's Titles and URLs results and use Create PDF with results when reporting that gig.	An existing gig report	Optional action

Company details in Platform Settings supply PDF branding. Client publication history can be used without creating a gig. Draft articles are not delivered publication results.

08 / Link & Keywords

Open Link & Keywords. Successful publications provide reusable records; use the form to add or edit a record manually.

STEP	FIELD / CONTROL	WHAT TO ENTER OR DO	EXAMPLE / RESULT	WHEN TO USE
1	New / Website	Start a new record or choose Edit on an existing one. Select the website that owns the article.	Example Garden	Required
2	Article title	Enter the actual title of the published article.	How to Water a Small Garden	Required
3	Complete URL	Enter the full published article URL, including https://.	https://example.com/watering/	Required
4	Keyword A / Keyword B / Keyword C	Enter relevant anchor phrases for this URL. These fields are optional; meaningful phrases make later selection easier.	small garden watering	Optional
5	Preview changes / Save record	Preview the record, check the title and complete URL, then save.	Preview, then save	Action
6	Search / Website / Keyword column	Find records by title, URL or keyword. Filter by website or by populated keyword column.	Has Keyword A	Optional filters
7	Per page / Refresh	Show 25, 50 or 100 records, or refresh the current list.	50	Optional
8	ID / Source / Actions	Read the assigned ID and record source. Use the row actions only for the intended local record.	Edit an incorrect URL	Read / optional edit
9	Check historical publications	Optionally scan older published queue and gig results missing from this database. Review the proposed records.	Inspect the import preview	Optional
10	Import approval / Import historical publications	Tick the approval box after reviewing the preview, then import. This writes to the Link & Keywords database.	Approve reviewed records	If importing
11	Use the records in Bulk Automation	Select the destination website, choose 1-3 link slots, then search and select the stored keyword-and-URL records.	See page 10	Next workflow
12	Use a main article in Tier 2 Links	Open the Tier 2 workspace to create supporting articles linking to a main publication.	See page 12	Next workflow

Ordinary link records are retained for two months. Removing a local record does not delete the destination article. For full-screen examples and current instructions, visit sitepublisher.ai/documentation/. Questions: clients@sitepublisher.ai.